



CLINICIAN STRATEGIES AND RESOURCES: CARING FOR AYAS AS THEY TRANSITION TO CANCER SURVIVORSHIP

WEBINAR PREVIOUSLY RECORDED ON MAY 9, 2024

AMERICAN CANCER SOCIETY: WWW.CANCER.ORG

THE LEUKEMIA & LYMPHOMA SOCIETY: WWW.LLS.ORG



1



WELCOMING REMARKS

Michelle Rajotte, LMSW
Associate Director
Information Resource Center
The Leukemia & Lymphoma Society
Rye Brook, NY



2

TARGET AUDIENCE

This activity is intended for hematologist/oncologists, APPs, nurses, social workers, and other healthcare professionals involved in the care of adolescent and young adult (AYA) patients with cancer and cancer survivors.

EDUCATIONAL OBJECTIVES

After completing this accredited activity, the participant should be better able to:

- Describe care challenges for AYAs as they transition to survivorship
- Explain the importance of survivorship care, including late effects and how to access long-term follow-up guidelines
- Identify interdisciplinary care team roles in supporting AYA cancer survivors
- Review resources to support AYAs with cancer, their caregivers, and healthcare professionals



3

FACULTY

Rebecca Eary, DO, MPH

Assistant Professor, Department of Family and Community Medicine
UT Southwestern Medical School
Medical Director, Primary Care Cancer Survivorship Clinic and the After Cancer Experience (ACE) Adult Program for Adolescent and Childhood Cancer Survivors
Dallas, TX

Danielle Friedman, MD, MS

Associate Member
Department of Pediatrics, MSK Kids
Director, Pediatric Long-Term Follow-Up Program
Director, Pediatric Survivorship Fellowship
Memorial Sloan Kettering Cancer Center
New York, NY

Brittany Hall, PhD

Associate Professor
UT Southwestern Medical Center
Dallas, TX

Michelle Rajotte, LMSW (Moderator)

Associate Director
Information Resource Center
The Leukemia & Lymphoma Society
Rye Brook, NY

Michael Roth, MD

Professor of Pediatrics
Medical Director, Cancer Survivorship
Co-Director, Adolescent and Young Adult Oncology Program
Director, Childhood Cancer Survivorship Program
University of Texas M.D. Anderson Cancer Center
Chair, Children's Oncology Group AYA Oncology Discipline Committee
Houston, TX

Angela Yarbrough, DNP, APRN, FNP-BC, CPHON

Nurse Practitioner
University of Texas M.D. Anderson Cancer Center
Houston, TX



4

RESOURCES



5

DISCLOSURES

Brittany Hall, PhD, has no relevant financial relationships with ineligible companies to disclose for this educational activity.

Rebecca Eary, DO, MPH, has no relevant financial relationships with ineligible companies to disclose for this educational activity.

Michelle Rajotte, LMSW, has no relevant financial relationships with ineligible companies to disclose for this educational activity.

Michael Roth, MD, has a financial interest/relationship or affiliation in the form of:
Research Grant: Pfizer, HebeCell

Danielle Friedman, MD, MS, has no relevant financial relationships with ineligible companies to disclose for this educational activity.

Angela Yarbrough, DNP, APRN, FNP-BC, CPHON, has no relevant financial relationships with ineligible companies to disclose for this educational activity.



6

DISCLOSURES

Disclosure & Conflict of Interest Policy

Medical Learning Institute, Inc. and The Leukemia & Lymphoma Society, are committed to providing high quality continuing education to healthcare professionals, as individuals and teams, with a protected space to learn, teach, and engage in scientific discourse free from influence from ineligible companies that may have an incentive to insert commercial bias into education. To that end, MLI and LLS require faculty, presenters, planners, staff, and other individuals who are in a position to control the content of this CE activity to disclose all financial relationships they have had in the past 24 months with ineligible companies as defined by the ACCME, as related to the content of this CE activity, regardless of the amount or their view of the relevance to the education. All identified COI will be thoroughly vetted and mitigated according to MLI and LLS policy. These disclosures will be provided to learners prior to the start of the CE activity.

Planning Committee and Content/Peer Reviewers

The planners and content/peer reviewers from Medical Learning Institute, Inc. and The Leukemia & Lymphoma Society do not have any relevant financial relationships to disclose with ineligible companies unless listed below.

Lauren Berger, MPH, has a financial interest/relationship or affiliation in the form of:
Stock Ownership with Bristol Myers Squibb, Gilead Sciences, Inc., Merck & Co., Inc., Organon & Co., Pfizer Inc., and Viatrix Inc.

All of the relevant financial relationships of individuals for this activity have been mitigated.

Disclosure of Unlabeled Use

This educational activity may contain discussions of published and/or investigational uses of agents that are not indicated by the FDA. The planners of this CE activity do not recommend the use of any agent outside of the labeled indications. The opinions expressed in the accredited CE activity are those of the presenters and do not necessarily represent the views of the planners. Please refer to the official prescribing information for each product for discussion of approved indications, contraindications, and warnings.

Disclaimer

Participants have an implied responsibility to use the newly acquired information to enhance patient outcomes and their own professional development. The information presented in this CE activity is not meant to serve as a guideline for patient management. Any procedures, medications, or other courses of diagnosis or treatment discussed or suggested in this CE activity should not be used by clinicians without evaluation of their patient's conditions and possible contraindications and/or dangers in use, review of any applicable manufacturer's product information, and comparison with recommendations of other authorities.

About this Activity

Medical Learning Institute, Inc. and The Leukemia & Lymphoma Society are responsible for the selection of this activity's topics, the preparation of editorial content, and the distribution of this CE activity. Our activities may contain references to unapproved products or uses of these products in certain jurisdictions. The preparation of this activity is supported by educational grants subject to written agreements that clearly stipulate and enforce the editorial independence of Medical Learning Institute, Inc. and The Leukemia & Lymphoma Society.

The materials presented here are used with the permission of the authors and/or other sources. These materials do not necessarily reflect the views of Medical Learning Institute, Inc. or any of its partners, providers, and/or supporters.



7

CE DESIGNATION

Accreditation, Credit and Support



In support of improving patient care, this activity has been planned and implemented by Medical Learning Institute, Inc. and The Leukemia & Lymphoma Society. Medical Learning Institute, Inc. is jointly accredited by the Accreditation Council for Continuing Medical Education (ACCME), the Accreditation Council for Pharmacy Education (ACPE), and the American Nurses Credentialing Center (ANCC), to provide continuing education for the healthcare team.

Physician Continuing Medical Education

Medical Learning Institute, Inc. (MLI) designates this live activity for a maximum of 1.0 AMA PRA Category 1 Credit™. Physicians should claim only the credit commensurate with the extent of their participation in the activity.

Registered Nursing Credit Designation

Approval for nurses has been obtained by the National Office of The Leukemia & Lymphoma Society under Provider Number CEP 5832 to award 1.0 continuing education contact hour through the California Board of Registered Nursing.

Social Worker Continuing Education



As a Jointly Accredited Organization, Medical Learning Institute, Inc. (MLI) is approved to offer social work continuing education by the Association of Social Work Boards (ASWB) Approved Continuing Education (ACE) program. Organizations, not individual courses are approved under this program. Regulatory boards have the final authority on courses accepted for continuing education credit. Social workers completing this course receive 1.0 Clinical Social Work continuing education credit.

Interprofessional Continuing Education Credit



This activity was planned by and for the healthcare team, and learners will receive 1.0 Interprofessional Continuing Education (IPCE) credit for learning and change.

There is no commercial support associated with this CE activity.

Providers

This activity is provided by The Leukemia & Lymphoma Society and Medical Learning Institute, Inc., in collaboration with The American Cancer Society.



8



METHOD OF PARTICIPATION

There are no fees for participating in or receiving credits for this CE activity. For information on applicability and acceptance of continuing education credit for this activity, please consult your professional licensing board.

Learners must participate in the entire CE activity, complete, and submit the evaluation form to earn credit. Once submitted, the certificate will be generated. If you have questions regarding the receipt of your certificate, please contact via email at ndane@mlieducation.org.



9




Overview of AYA Cancer



10


Adolescent and Young Adult (AYA)

refers to individuals diagnosed with cancer between the ages of **15 and 39**



11

AYA Cancer



National Cancer Institute: Cancer Stat Facts: Cancer Among Adolescents and Young Adults (AYAs) (Ages 15-39)

12

POLLING QUESTION 1

Which of the following are long-term psychosocial issues that AYA survivors of cancer experience?

- A. Financial toxicity
- B. Anxiety and depression
- C. Less likely to have children
- D. More likely to use drugs and alcohol
- E. All of the above



13

Importance of Survivorship Care



14

What Do We Know about Long-Term and Late Effects among AYA Cancer Survivors?



Physical Issues:

- 2nd Malignancies
- Cardiovascular Disease
- Endocrine Dysfunction
- Neurocognitive Deficits
- Fertility
- Sexual Dysfunction
- Body Disfigurement
- Physical Condition

Psychological Issues:


- Distress
- Anxiety & Depression
- Posttraumatic Stress
- Fear of Recurrence
- Body Image Concerns
- Cognitive Impairment
- Loneliness
- Survivor's Guilt
- Drug and Alcohol Use

Social Issues:

- Education
- Employment Challenges
- Financial Toxicity
- Relationships (romantic and friendships)
- Access to Supportive Services

References: Janssen et al, *Cancers*, 2021
The Leukemia & Lymphoma Society
American Cancer Society

15




Long-Term Outcomes for Survivors of AYA Cancer

- High risk of developing severe and chronic health conditions due to their cancer treatment exposures
 - Nearly 100% of survivors by age 50 will have 1 or more chronic condition
- Treatment-related late effects are often compounded by the emergence of age-associated chronic conditions


References: Bhakta, 2017; Chao et al. *JCO* 2020



16



17



18



Understanding the Psychological Landscape

- Coming out of the fog
 - Less focus on practical concerns & increased awareness of psychosocial needs
- High levels of daily life needs negatively associated with health (Zhang et al, 2023)
 - Acute medical concerns managed, now living with chronic concerns
- Life not returning to pre-diagnosis
 - Reduction of social support compared to active treatment
 - Reduction in communication with medical team
- Top Concerns: Worry about a new cancer & recurrence (Vandraas et al, 2021)



19



Accessing Long-term Follow-up Guidelines



20

Long-Term Follow-Up Guidelines
for Survivors of Childhood, Adolescent, and Young Adult Cancers
Version 6.0 - October 2023

Publicly accessible at:
www.survivorshipguidelines.org

This webpage also includes:

- **Health Links:** Patient education materials to accompany the guidelines.
- **Program Resource Guide:** A comprehensive guide designed for institutions interested in establishing and enhancing long-term follow-up programs for childhood cancer survivors.
- **Directory of Long-Term Follow-Up Services**

21

CHEMOTHERAPY		ANTHRACYCLINE ANTIBIOTICS (CONT)																				
Sec #	Therapeutic Exposure	Potential Late Effects	Periodic Evaluation	Health Counseling/ Further Considerations																		
34	<p>Anthracycline Antibiotics Daunorubicin Doxorubicin Epirubicin Idarubicin Mitoxantrone</p> <p>Dose Conversion Use the following formulas to convert to doxorubicin isotonic equivalents prior to calculating total cumulative anthracycline dose.</p> <p>To estimate cumulative anthracycline dose in doxorubicin isotonic equivalents</p> <p>1.0 x (daunorubicin total dose) + 0.5 x (epirubicin total dose) + 0.67 x (idarubicin total dose) + 5.0 x (mitoxantrone total dose)</p>	<p>Cardiac toxicity Cardiomyopathy Subclinical left ventricular dysfunction Congestive heart failure Arrhythmia</p>	<p>HISTORY Shortness of breath Dyspnea on exertion Orthopnea Chest pain Palpitations If under 25 yrs: nausea, vomiting</p> <p>PHYSICAL Blood pressure Cardiac exam Yearly</p> <p>SCREENING Echo (or comparable imaging to evaluate cardiac function)</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Anthracycline Dose**</th> <th>Radiation Dose**</th> <th>Recommended Frequency</th> </tr> </thead> <tbody> <tr> <td><100mg/m²</td> <td><15Gy</td> <td>No screening</td> </tr> <tr> <td>100 to <200mg/m²</td> <td>15Gy to <30Gy</td> <td>Every 5 years</td> </tr> <tr> <td>≥100 to <200mg/m²</td> <td><15Gy</td> <td>Every 5 years</td> </tr> <tr> <td>Any</td> <td>>30Gy</td> <td>Every 2 years</td> </tr> <tr> <td>Any</td> <td>Any</td> <td>Every 2 years</td> </tr> </tbody> </table> <p><small>**Based on daunorubicin isotonic equivalent dose. **Based on radiation dose with potential impact to heart (radical to chest, abdomen, spine [thoracic, waist], TB). See section 77.</small></p> <p>EKG (include evaluation of QTc interval) Baseline at entry into long-term follow-up, repeat as clinically indicated</p>	Anthracycline Dose**	Radiation Dose**	Recommended Frequency	<100mg/m ²	<15Gy	No screening	100 to <200mg/m ²	15Gy to <30Gy	Every 5 years	≥100 to <200mg/m ²	<15Gy	Every 5 years	Any	>30Gy	Every 2 years	Any	Any	Every 2 years	<p>HEALTH LINKS Heart Health Cardiovascular Risk Factors Nutrition and Physical Activity</p> <p>CONSENSING Traditional CVR¹ significantly increase survivors' risk of cardiomyopathy. Counsel regarding the importance of maintaining blood pressure, BMI, lipids, and glucose levels within goal ranges per general population guidelines.</p> <p>Regarding exercise: <ul style="list-style-type: none"> • Exercise is generally safe and encouraged for patients with normal LV systolic function • Consult cardiology for survivors with asymptomatic cardiomyopathy to define physical activity limits and precautions. • Consider cardiology consultation to define physical activity limits and precautions for high risk survivors (i.e., those requiring an echo every 2 years) who plan to participate in intensive exercise. </p> <p>If QTc interval is prolonged: Caution use of QTc prolonging medications (e.g., tricyclic anti-depressants, antifungals, macrolide antibiotics, metronidazole).</p> <p>POTENTIAL CONSIDERATIONS FOR FURTHER TESTING AND INTERVENTION Cardiac MRI as an adjunct imaging modality when echo images are suboptimal. Cardiology consultation in patients with subclinical abnormalities on screening evaluations, LV dysfunction, dysrhythmia, or prolonged QTc interval. For patients who are pregnant or planning to become pregnant, additional cardiology evaluation is indicated in patients who received: <ul style="list-style-type: none"> • ≥250 mg/m² anthracyclines • ≥30 Gy chest radiation, or • Anthracycline (any dose) combined with chest radiation (≥15 Gy) Evaluation should include a baseline echo (pre- or early-pregnancy). For those without prior abnormalities and with normal pre- or early-pregnancy baseline echos, follow-up echos may be obtained at the provider's discretion. Those with a history of systolic dysfunction or with pre- or early-pregnancy systolic dysfunction are at highest risk for pregnancy-associated cardiomyopathy, and should be monitored periodically during pregnancy, labor and delivery due to increased risk for heart failure.</p> <p style="text-align: center; background-color: #0070C0; color: white; padding: 5px;">SYSTEM = Cardiovascular SCORE = 1</p>
Anthracycline Dose**	Radiation Dose**	Recommended Frequency																				
<100mg/m ²	<15Gy	No screening																				
100 to <200mg/m ²	15Gy to <30Gy	Every 5 years																				
≥100 to <200mg/m ²	<15Gy	Every 5 years																				
Any	>30Gy	Every 2 years																				
Any	Any	Every 2 years																				
<p>Additional Information</p> <p>Although mitoxantrone is an anthraquinone, it is related to the anthracycline family and is included in this section because of its cardiotoxic potential. Childhood cancer survivors exhibit clinical and subclinical toxicity at lower levels than adults. In patients with abnormal LV systolic function, certain conditions (such as isometric exercise and viral infections) have been anecdotally reported to precipitate cardiac decompensation. Prospective studies are needed to better define the contribution of these factors to cardiac disease risk. Abnormal symptoms (nausea, emesis) may be seen more frequently than exertional dyspnea or chest pain in younger patients.</p> <p style="font-size: x-small;">DOG LTFU Guidelines – Page 39</p>																						

22

Significant Gaps in Provider Knowledge of Guidelines

Hodgkin Lymphoma Survivor Vignette			
Responses Concordant with COG Guidelines	General Internists (N=1,110; US only)	Family Physicians (N=1,124; US & Canada)	Pediatric Oncologists (N=665; US only)
Breast cancer screening	9%	16%	66%
Thyroid screening	76%	74%	76%
Cardiac screening	15%	10%	57%
Total	5%	2%	33%

Suh E et al, *Ann Intern Med* 2014; Nathan P, et al. *J Cancer Surv* 2013; Henderson T, et al. *J Clin Oncol* 2010.



23

Transition Challenges



24

POLLING QUESTION 2

What is the most common barrier you or your patients experience when an AYA patient transitions to survivorship care?

- A. Lack of provider clarity
- B. Fear and avoidance
- C. Cost or lack of Insurance
- D. Lack of survivorship programs to refer to
- E. Providers not asking the right questions
- F. Other



25




"Research has shown that without a structured transition process, youth and young adults are more likely to have problems with medical complications, limitations in health and wellbeing, difficulties with treatment and medication adherence, discontinuity of care, preventable emergency department and hospital use, and higher costs of care."

- Updated Clinical Report on Health Care Transitions for Youth and Young Adults from the American Academy of Pediatrics



26


Barriers to Survivorship Transition



Smits-Seeman et al, J Cancer Surviv, 2017
 Effinger, K., J Cancer Surviv, 2022

27

Less than Half of Adult-Aged Survivors Remain Actively Involved in Survivorship Care




Among 975 adult cancer survivors, **27.3%** had a cancer-related medical visit within the last 2 years

Nathan PC, et al. J Clin Oncol, 2009
 Ford JS, et al. Cancer 2020



28

High-Risk Survivors Are Not Receiving Recommended Screening Tests



Nathan et al. Ann Intern Med. 2010.



29

POLLING QUESTION 3

What transition strategies do you implement to optimize the transition to survivorship care? Select all that apply.

- A. Provide education and encouraging self-advocacy
- B. Coordinate and collaborate with multidisciplinary health care teams
- C. Provide patient navigation services to guide AYA survivors through the transition process
- D. Offer psychosocial support services to address the needs of AYA survivors
- E. Provide a personalized survivorship care plan
- F. Refer survivors to specialized survivorship clinics
- G. All of the above
- H. Other



30

Transition Strategies

Education and Empowerment

- Educate AYA cancer survivors about the importance of survivorship care and need for long-term follow-up.
- Empower survivors to advocate for their needs.

Care Coordination

- Coordinate care among multidisciplinary health care teams.
- Establish clear communication channels.
- Share treatment summaries and collaborate on care plans.

Patient Navigation

- Provide patient navigation services to guide AYA cancer survivors through the transition process.
- Navigators can assist with understanding care plans, scheduling follow-up appointments, accessing services, and navigating the health care system.

Psychosocial Support

- Offer psychosocial support services to address the needs of AYA survivors during transition to survivorship care.
- Provide counseling, facilitate support groups, and incorporate psychosocial management into care plans.

Survivorship Care Plans

- All survivors should have personalized care plans that outline recommended follow-up care, screening schedules, and strategies for managing late effects.
- Know where specialized survivorship clinics are to refer survivors to.



31

Interdisciplinary Care Team Roles



32




Fig 1. Probability of reporting a particular level of medical care according to initial cancer diagnosis. (*) Probabilities adjusted for sex, age at diagnosis, and age at time of interview using a generalized logit model.

Primary Care Utilization among survivors

- Nearly all cancer survivors will return to primary care at some point in their lifetime (Pinheiro, 2022)
- Survivors more likely to access care in community primary care practices versus survivorship focused clinics (Nathan, 2008)
- In a large cohort of AYA survivors, nearly 30 percent of patients had no follow up with oncology or primary care within the first year completing treatment (Hahn, 2023)



Need for Primary Care

Reduction of modifiable risks and health promotion	Screening for second primary cancers
Optimizing control of chronic conditions	Addressing late effects
Linking to specialist care – referrals	Assessing psychological and mental health needs

Patients who have a PCP live longer and have decreased mortality from cancer, cardiovascular, and respiratory disease compared to those who only receive specialty care (Basu, 2019).



Role of Psychosocial Providers

Individual & Group Therapy

- Referrals to peer support

Referrals To Appropriate Providers

Program Development & Evaluation

- Screening & Intervention programs
- Identifying & supporting referrals to meet psychosocial needs
- Increasing optimization of services



35


RESOURCES



36

FREE LLS RESOURCES FOR HEALTHCARE PROVIDERS

- ❑ CME and CE courses: www.LLS.org/CE
- ❑ Staying Connected®: www.LLS.org/StayingConnected
- ❑ Fact Sheets for HCPs: www.LLS.org/HCPbooklets
- ❑ Videos for HCPs: www.LLS.org/HCPvideos
- ❑ Podcast series for HCPs: www.LLS.org/HCPpodcast



37

FREE LLS RESOURCES FOR PATIENTS

- ❑ **Information Specialists** – Personalized assistance for managing blood cancer treatment decisions, side effects, and dealing with financial and psychosocial challenges (IRC).
- ❑ **Clinical Trial Nurse Navigators** – RNs and NPs provide a personalized service for patients with blood cancer seeking treatment in a clinical trial, sift through the information and provide information to bring back to their HC team (CTSC).
 - www.LLS.org/CTSC
- ❑ **Nutrition Education Services Center (NESC)** – LLS provides **Nutrition Education Services** to patients and caregivers of all cancer types. *Our registered dietitians have expertise in oncology nutrition.* To schedule a free consultation:
 - visit www.LLSnutrition.org
 - call 877-467-1936
- ❑ **Reach out Monday–Friday, 9 am to 9 pm ET**
 - Phone: (800) 955-4572
 - Live chat: www.LLS.org/IRC
 - Email: infocenter@LLS.org
 - HCP Patient Referral Form: www.LLS.org/HCPreferral



38

FREE LLS RESOURCES FOR PATIENTS AND CAREGIVERS

- ❑ www.LLS.org/YoungAdults
- ❑ **Webcasts, Videos, Podcasts:**
 - www.LLS.org/Webcasts
 - www.LLS.org/EducationVideos
 - www.LLS.org/Podcast
- ❑ **Support Resources**
 - ❑ Financial Assistance: www.LLS.org/Finances
 - ❑ Other Support: www.LLS.org/Support
 - LLS Regions
 - Live Online Weekly Chats: "Young Adults"
 - Facilitated by Oncology SW
 - LLS Community Social Media Platform
 - First Connection Peer to Peer Program



39

FREE LLS RESOURCES FOR YOUR PATIENTS



BOOKLETS AND FACT SHEETS

English – www.LLS.org/Booklets
 Spanish – www.LLS.org/Materiales



40




Vision: End cancer as we know it, for everyone.

Mission: Improve the lives of people with cancer and their families through advocacy, research, and patient support, to ensure everyone has an opportunity to prevent, detect, treat, and survive cancer.

cancer.org | 1.800.227.2345

41



42



ACS LION™

Transform care through a new navigation training and credentialing program



The American Cancer Society Leadership in Oncology Navigation (ACS LION) is a standardized training and credentialing program that helps patient navigators deliver essential nonclinical support to individuals, caregivers, and families facing cancer.

Now available, the program meets the Centers for Medicare & Medicaid Services (CMS) training requirements for "Principal Illness Navigation" reimbursement, as introduced in the 2024 CMS Physician Fee Schedule, and is aligned to professional oncology navigation (PONT) standards.

Learn more about the program and enrollment



Visit cancer.org/NavigationCredential or scan the QR code to learn more about ACS LION and how to enroll.

The program is \$495 per learner. Opportunities for program access assistance are available. Please email ACSLION@cancer.org for more information.



SAVE THE DATE

Orientation | June 26th, 2024 | 1:00–2:00 PM EST

Pediatric, Adolescent, and Young Adult Cancer Survivorship ECHO

Four Principles of the ECHO Model



Use technology to leverage scarce resources



Apply case-based learning to master complexity



Share best practices to reduce disparities



Evaluate and monitor outcomes



Additional Resources for Healthcare Providers:

- Relevant Training and Educational Programs for HCPs (some providing CE)
 1. GW School of Medicine & Health Sciences: [Cancer Survivorship E-Learning Series](#)
 2. Harvard University: [Cancer Survivorship: Optimizing Care and Outcomes](#)
 3. Cancer Support Community: [Cancer Transitions: Moving Beyond Treatment™ Program](#)
- National Cancer Institute [Pediatric and Adolescent and Young Adult Cancer Survivorship Information](#)
- Canteen's [Adolescent and Young Adult Oncology Psychosocial Survivorship Care Process Manual](#) (includes *Psychosocial Survivorship Screening Tool* on page 20)
- [Six Core Elements of Health Care Transition](#) from Got Transition: for use by clinicians to assist youth and young adults as they transition to adult health care
- COG's [Directory of Long-term Survivorship Programs](#)



45

Questions?



46

THANK YOU

Instructions For Credit

Participants must complete the evaluation to receive credit.
After completing this process, your certificate will automatically generate.

For questions or concerns, please contact Profeducation@lls.org

